
TARAXACUM S2 COCOON

Designed by Achille & Pier Giacomo Castiglioni, 1960


F7402009



ΕN

TARAXACUM S2 COCOON

F7402009



01. RA3690209 – White ceiling rose assembly 02. RF32763 – 3,20 mt of PVC/PVC white cable 3x0,75 03. RF9800200 – Electrical assembly


EN

TARAXACUM S2 COCOON F7402009

RA3690209

COMPLETE ROSE ASSEMBLY






EΝ

TARAXACUM S2 COCOON

F7402009



COMPLETE ROSE ASSEMBLY





Fix the wall fixture (A) with the appropriate expansion bolts. NOTE: Select and employ screw anchors which are suited to the surface where the appliance is to be installed. Connect the power cable to the terminal box (not supplied with the sparepart). Mount the ceiling-rose (F).

EN


TARAXACUM	S2	COCOON
F740	200	19

•



3,20 MT PVC/PVC WHITE ELECTRICAL CABLE 3x0,75





WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

©2021 Flos - All rights reserved - www.flos.com Flos reserves the right to introduce any changes to its own models, without prior notice.

REV. 2 DATE 13/01/2022


EN

TARAXACUM S2 COCOON F7402009

RF9800200

ELECTRICAL ASSEMBLY SET






EN

TARAXACUM S2 COCOON F7402009

RF9800200 ELECTRICAL ASSEMBLY SET








Fig.2

Separate the ring nut (A) from the lamp holder (B) unscrewing it.

EN

TARAXACUM S2 COCOON F7402009

RF9800200

ELECTRICAL ASSEMBLY SET




Fig.3


Insert the lamp holder (B) into the ring support (C) present in the Cocoon lamp structure and lock it by tightening the ring nut (C).

EN

TARAXACUM S2 COCOON F7402009

RF9800200

ELECTRICAL ASSEMBLY SET






Fig.4

Fix the wall fixture (A) with the appropriate expansion bolts. NOTE: Select and employ screw anchors which are suited to the surface where the appliance is to be installed. Detach the cable clamp (B), disconnect the feed cable (C) and cut it at the height desired.

EΝ

TARAXACUM S2 COCOON

F7402009



ELECTRICAL ASSEMBLY SET




Fig.5

Connect the power cable to the terminal box (D) and connect the earth to its apposite terminal. Mount the ceiling-rose (F).

EN

TARAXACUM S2 COCOON

F7402009



ELECTRICAL ASSEMBLY SET




Fig.6

Insert the lamp-bulb (Incandescent halogen light bulb MAX 100W attachment E27 type HSGS).