



# **MAESTRO 3.0**

PROFESSIONAL  
ARCHITECTURAL  
LIGHTING

**Petit**



**i-LÉD**




# petit

## Materials

Brass or aluminium body

**Petit\_R** | Path-marker | powerLED 1 W DC 350 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92316</b>	<b>M</b> 2700	98 - On req	<b>05</b> N.Spot -
Nickel	<b>92318</b>	<b>W</b> 3000	107 - On req	
		<b>N</b> 4000	114 - On req	

**Electronics**

89144	89145	99375	99708	99711	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	ON/OFF 6 - 12 art. p 138 x l 22 x h 21	24V DC converter 0/1-10V 1 - 4 art. p 138 x l 22 x h 21	24V DC converter DALI 1 - 4 art. p 138 x l 22 x h 21	

Recessed casing Pag. 5

**Petit\_Q** | Path-marker | powerLED 1 W DC 350 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92324</b>	<b>M</b> 2700	98 - On req	<b>05</b> N.Spot (6°)
Nickel	<b>92326</b>	<b>W</b> 3000	107 - On req	
		<b>N</b> 4000	114 - On req	

**Electronics**

89144	89145	99375	99708	99711	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	ON/OFF 6 - 12 art. p 138 x l 22 x h 21	24V DC converter 0/1-10V 1 - 4 art. p 138 x l 22 x h 21	24V DC converter DALI 1 - 4 art. p 138 x l 22 x h 21	

Recessed casing Pag. 5

**Petit\_R** | Path-marker | powerLED 1,5 W DC 500 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92320</b>	<b>M</b> 2700	130 - On req	<b>05</b> N.Spot (6°)
Nickel	<b>92322</b>	<b>W</b> 3000	143 - On req	
		<b>N</b> 4000	152 - On req	

**Electronics**

99195	89146	99377	99709	99712	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 2 - 3 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	24V DC converter 0/1-10V 1 art. p 138 x l 22 x h 21	24V DC converter DALI 1 art. p 138 x l 22 x h 21	

Recessed casing Pag. 5

**Petit\_Q** | Path-marker | powerLED 1,5 W DC 500 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92328</b>	<b>M</b> 2700	130 - On req	<b>05</b> N.Spot (6°)
Nickel	<b>92330</b>	<b>W</b> 3000	143 - On req	
		<b>N</b> 4000	152 - On req	

**Electronics**

99195	89146	99377	99709	99712	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 2 - 3 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	24V DC converter 0/1-10V 1 art. p 138 x l 22 x h 21	24V DC converter DALI 1 art. p 138 x l 22 x h 21	

Recessed casing Pag. 5

**Petit\_R** | Path-marker | powerLED 1 W DC 350 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92405</b>	<b>M</b> 2700	136 - On req	<b>05</b> N.Spot (6°)
Nickel	<b>92407</b>	<b>W</b> 3000	145 - 119	
		<b>N</b> 4000	159 - 127	

**Electronics**

89144	89145	99375	99708	99711	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	ON/OFF 6 - 12 art. p 138 x l 22 x h 21	24V DC converter 0/1-10V 1 - 4 art. p 138 x l 22 x h 21	24V DC converter DALI 1 - 4 art. p 138 x l 22 x h 21	

**Recessed casing Pag. 5**

**Petit\_Q** | Path-marker | powerLED 1 W DC 350 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92413</b>	<b>M</b> 2700	136 - On req	<b>05</b> N.Spot (6°)
Nickel	<b>92415</b>	<b>W</b> 3000	145 - 119	
		<b>N</b> 4000	159 - 127	

**Electronics**

89144	89145	99375	99708	99711	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	ON/OFF 6 - 12 art. p 138 x l 22 x h 21	24V DC converter 0/1-10V 1 - 4 art. p 138 x l 22 x h 21	24V DC converter DALI 1 - 4 art. p 138 x l 22 x h 21	

**Recessed casing Pag. 5**

**Petit\_R** | Path-marker | powerLED 2 W DC 630 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92409</b>	<b>M</b> 2700	219 - On req	<b>05</b> N.Spot (6°)
Nickel	<b>92411</b>	<b>W</b> 3000	233 - 191	
		<b>N</b> 4000	249 - 204	

**Electronics**

89147	99376	99105	99710	99713	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	ON/OFF 6 - 12 art. p 103 x l 58 x h 27	24V DC converter 0/1-10V 1 art. p 138 x l 22 x h 21	24V DC converter DALI 1 art. p 138 x l 22 x h 21	

**Recessed casing Pag. 5**

**Petit\_Q** | Path-marker | powerLED 2 W DC 630 mA




Efficiency - CRI 80		Cct	lm S - D	Optic
White	<b>92417</b>	<b>M</b> 2700	219 - On req	<b>05</b> N.Spot 6°
Nickel	<b>92419</b>	<b>W</b> 3000	233 - 191	
		<b>N</b> 4000	249 - 204	

**Electronics**


89147	99376	99105	99710	99713	+ driver 24V DC 99374 75W 99331 150W
ON/OFF 1 - 2 art. p 138 x l 22 x h 21	ON/OFF 3 - 6 art. p 138 x l 22 x h 21	ON/OFF 6 - 12 art. p 103 x l 58 x h 27	24V DC converter 0/1-10V 1 art. p 138 x l 22 x h 21	24V DC converter DALI 1 art. p 138 x l 22 x h 21	

**Recessed casing Pag. 5**


## Recessed casing




	description	type
<b>84335</b>	Recessed casing	PVC
<b>suitable for:</b> Petit_R 1W 20 mm / Petit_Q 1W 20 mm		




	description	type
<b>84917</b>	Recessed casing	PVC
<b>suitable for:</b> Petit_R 1,5W / Petit_Q 1,5W		



	description	type
<b>84336</b>	Recessed casing	PVC
<b>suitable for:</b> Petit_R 1W 40mm / Petit_Q 1W 40mm		



	description	type
<b>84915</b>	Recessed casing	PVC
<b>suitable for:</b> Petit_R 1W 40mm / Petit_Q 1W 40mm		



	description	type
<b>84901</b>	Recessed casing	PVC
<b>suitable for:</b> Petit_R 2W / Petit_Q 2W		



## Addresses

### Linea Light HQ Italy

via della Fornace, 59 z.i.  
31023 Castelmolinio di Resana (TV) - Italy  
Phone: +39 0423 7868  
Fax: +39 0423 786900  
info@linealight.com

### Linea Light Milano

via Morimondo, 26 int. 17G  
20143 Milano - Italy  
Phone: +39 02 36750915  
Fax: +39 02 36750915  
milano@linealight.com

### Linea Light Roma

Via La Spezia, 34  
00182 Roma - Italy  
Phone: +39 06 68589134  
info@linealightroma.com

### Linea Light UK

Suite 109 - The Business Design Centre  
52 Upper Street - Islington N10QH  
London - UK  
Phone: +44 0203 6371983  
info@linealight-uk.com

### Linea Light France

Z.A. Heiden Est, 12 rue des Pays-Bas  
68310 Wittelsheim - France  
Phone: +33 389 75 52 23  
Fax: +33 389 75 59 07  
info@linealight.fr

### Linea Light Deutschland

Aktienstraße 214  
45473 Mülheim Ruhr - Germany  
Phone: +49 208 299979-0  
Fax: +49 208 299979-10  
service@linealight.de

### Linea Light USA - Inter Lux

3741 Commerce Drive  
Suites 306-308  
Baltimore, MD 21227 - USA  
Phone: +1 410 381 1497  
Fax: +1 410 381 1589  
answers@inter-lux.com

### Linea Light Russia

Design Center Artplay  
Nizhnyaya Syromyatnicheskaya 10/2 enter B,  
3rd floor, office 14  
105120 Moscow - Russia Federation  
Phone: +7 495 639 9941  
info@linealight.ru

### Linea Light Spain

C/ Longares, 48  
28022 Madrid - Spain  
Phone: +34 912534773  
info@linealight.es

### Linea Light Singapore

21 Kaki Bukit Place, 5th Fl.  
Eunos Techpark Singapore  
416199 Singapore  
Phone: +65-6908 5758  
info.sg@linealight.com


### Linea Light GCC

Jumeirah Lake Towers  
JBC2 - 35th Floor Cluster V - Dubai - UAE  
P.O. Box 125902  
Phone: +971 4 4218275  
Fax: +971 4 4218274  
info@linealight.ae

### Linea Light Asia - Pacific

No. 7, Nanyi Huayuan Road, Industry Avenue,  
528478 Xiaolan Town, Zhongshan City,  
Guangdong Province - China  
Phone: +86 760 87618355  
info@linealight.com.cn





Special edition to celebrate the new 2021 factory

[linealight.com](http://linealight.com)