


SKYGARDEN

Designed by Marcel Wanders, 2007


F0001009



SKYGARDEN 1

F0001009

EN



01. RA3690209 – White ceiling rose assembly

02. RF6410100 – Glass diffuser assembly


03. RF05382 – Kit of quantity 5OR rings

SKYGARDEN 1 F0001009

EN

RA3690209

WHITE CEILING ROSE ASSEMBLY




Chasen
p.03



Glo-ball
S1
p.03



Glo-ball
S2
p.03



Skygarden
1
p.03



Skygarden
Small
p.03



Smithfield
S Pro
p.03




Taraxacum
S1 Cocoon
p.03



Taraxacum
S2 Cocoon
p.03



Viscontea
p.03



Zeppelin 1
p.03

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

SKYGARDEN 1 F0001009

EN

RA3690209

WHITE CEILING ROSE ASSEMBLY




Fig.1

Fix the wall fixture (A) with the appropriate expansion bolts. **NOTE:** Select and employ screw anchors which are suited to the surface where the appliance is to be installed.

Connect the power cable to the terminal box (not supplied with the spare-part). Mount the ceiling-rose (F).

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

SKYGARDEN 1 F0001009

EN

RF6410100

GLASS DIFFUSER ASSEMBLY



WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.

©2021 Flos - All rights reserved - www.flos.com
Flos reserves the right to introduce any changes to its own models, without prior notice.

SKYGARDEN 1 F0001009

EN

RF6410100

GLASS DIFFUSER ASSEMBLY




Fig.1

Install the lamp-bulb then assemble the diffuser (A) on the body by fastening it onto the appropriate threaded screw (B).

WARNING! Screw on the diffuser (A) by keeping it perpendicular to the threaded screw (B).

REMARK!!! Screw on the diffuser without forcing. Once reaching the end of the thread loosen slightly to make it easy for a future removal.

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

SKYGARDEN 1 F0001009

EN

RF6410100

GLASS DIFFUSER ASSEMBLY




Fig.2

LAMP-BULB REPLACEMENT INSTRUCTIONS

Ensure that power has been turned off.

Check that the bulb is not too hot.

Wait 30 minutes with the bulb off before trying the procedure (the lamp bulb must be cold).

It is advisable to do this operation wearing clean gloves.

Keep the body lamp (C) firm with one hand and with the other hand remove the glass diffuser (A) by turning it anti-clockwise.

Should you encounter any problems with the removal of the diffuser ask another person to keep the body lamp firm and use both hands to remove the diffuser.

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off. For the installation of the spare-part, it is necessary to consult a qualified electrician.

SKYGARDEN 1 F0001009

EN

RF05382

KIT OF QUANTITY 5 OR RINGS



Glo-ball
S1
p.18



Glo-ball
S2
p.17



Skygarden
1
p.08



Skygarden
2
p.08



Skygarden
Small
p.08




Smithfield
S
p.05



Smithfield
S Pro
p.05



Tatou
S2
p.11



Zeppelin 1
p.05

WARNING! When installing and whenever acting on the appliance, ensure that the power supply has been switched off.
For the installation of the spare-part, it is necessary to consult a qualified electrician.