

FLOS

F0995035 Tomato

Bilboquet

Designed by Philippe Malouin, 2023




LED retrofit

Table lamp with adjustable head. Integrated LED bulb and cut-off providing direct lighting. Body made of a special pigmented polycarbonate deriving from a by-product of paper production rather than from petroleum. Adjustability through steel sphere treated with protective layer deposited in PVD. Useful length of the cable 2 mt. The cable can be adjusted and locked in place through a special slit in the base of the lamp. The product has been designed according to the ISCC standards and it is assembled with total absence of glued components so that it can be completely separated for future recyclability.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)




Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607059203 |
| Environments | Indoor dry location |
| Light Source Type | Bulb |
| Lamp category | LED retrofit |
| Lamp holders | GU10 |

Physical

| | |
|---------------------|--------|
| Colour | Tomato |
| Length (mm) | 10 |
| Net weight (kg) | 1.8 |
| Package height (mm) | 10 |
| Package width (mm) | 30 |
| Package length (mm) | 38 |
| Package volume (m3) | 0.01 |
| IP internal | 20 |
| IP external | 20 |

Download


[Mounting instructions](#)  PDF

Photometric Files

[LDT / IES](#)  ZIP



Schematic light drawing



Beam Angle: 54°

| h(m) | E(lx) | D(m) |
|------|-------|------|
| 1 | 571 | 1.01 |
| 2 | 143 | 2.02 |
| 3 | 63 | 3.02 |
| 4 | 36 | 4.03 |
| 5 | 23 | 5.04 |

Luminous flux Luminaire
615 lm

Photometric

| | |
|--------------------|-----------|
| Lighting type | Direct |
| Light distribution | Symmetric |

Electrical

| | |
|--------------------|----------------------------------|
| Insulation class | II |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| Dimmable | No |
| Dimming interface | Switch Integrated (Not Dimmable) |
| Plug type | Type C |