IN THE WIND PENDANT VERTICAL

Arihiro Miyake

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in diecasted aluminium. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.





LED 2700K

LAMPING

Source linear LED
Total power 58W

Emission diffused, 360°

Switching dimmable, DALI push

Tension 230V Color temperature 2700K

Luminous flux 2850lm (source luminous flux)

Typ CRI 85 Energy class A+

Materials aluminium + PC

Notes cable length 3m, also available in 120V

Net lamp weight 4 kg

Codes Structure/Diffuser

ITW LWW 55 white/white
ITW LNW 55 black/white
ITW LGW 55 gold/white
ITW LDW 55 titan grey/white

PACKAGE

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni





LED 3000K

LAMPING

Source linear LED
Total power 58W

Emission diffused, 360°

Switching dimmable, DALI push

Tension 230V
Color temperature 3000K
Luminous flux 2850lm
Typ CRI 85
Energy class A+

Materials aluminium + PC

Notes cable length 3m, also available in 120V

Net lamp weight 4 kg

Codes Structure/Diffuser

ITW LWW 58 white/white
ITW LNW 58 black/white
ITW LGW 58 gold/white
ITW LDW 58 titan grey/white

PACKAGE

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni



