

FLOS

A1402059 Brass

2097/30 (clear bulbs)

Designed by Gino Sarfatti, 1958



LED retrofit - 30 x 15W

Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated or golded. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607000441
Mounting	Suspension
Environment	Indoor dry location
Light source type	Bulb
Lamp category	LED retrofit
Lamp holder	E14
Ilcos	IBS/F
Number of heads	30
Power (W)	15

Physical

Colour	Brass
Cord length (mm)	2800
Net weight (kg)	5.6
Package volume (m3)	0.02
IP internal	20



Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

Photometric Files

[LDT / IES](#) LDT


Technical Drawings

[2D](#) ZIP

[3D](#) ZIP



Schematic light drawing



Luminous flux Luminaire
5500 lm


Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No


Bulbs



NOT INCLUDED

RF25316

LED Frosted Lamp 2,7W E14
150lm 2700K Dimmable T26
Dimmable



NOT INCLUDED

RF28422


LED Clear Lamp 2W E14 220-240
2200K T26 Dimmable



NOT INCLUDED

RF28987

LED Frosted Mini Lamp E14 2,7W
2700K Dimmable (set 32pcs)



INCLUDED

RF28988

LED Clear Mini Lamp E14 2W
2200K Dimmable (Set 32pcs)

Spare Parts



RL7050100

2097 E14 lamp holder



RL7050459

Brass short arm (180mm)



RL7050559

Brass medium arm (330mm)



RL7050659

Brass long arm (430mm)



RL7050759

Brass lower cap



RL7050959

Brass lower cap



RL7060800

Ceiling rose