



Glo-Ball Suspension 2

Designed by Jasper Morrison, 1998



Halogen - 150W

Suspension lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass. Transparent, injection molded polycarbonate diffuser support. 30% fiberglass reinforced injection-molded polyamide rose; pressed and galvanized ceiling fitting. Steel suspension cable.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607002223
Mounting	Suspension
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGS
Number of heads	1
Power (W)	150

Physical

Colour	White
Cord length (mm)	2700
Net weight (kg)	3.77
Package volume (m3)	0.13
IP internal	20



Down	load
	ıoaa

Mounting instructions	<u></u> PDF
Spare Parts	业 PDF

Photometric Files

LDT / IES



Technical Drawings

2D	⊥ ZIP
3D	⊥ ZIP

















https://professional.flos.com/en/global/product/glo-ball-suspension-2-f3010061/

F3010061

Schematic light drawing




Photometric


Lighting type	Total
Light distribution	Roto symmetric


Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No









NOT INCLUDED

RF26259

LED Lamp 18W E27 2700K Dimmable NOT INCLUDED

RF26258

LED Lamp 18W E27 3000K T38 Dimmable

NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38

NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts





RF09514

Ring nut assembly for diffuser 2