



Lampadina

Designed by Achille Castiglioni, 1972



LED retrofit - 5W - 241Im - 2700K

Table lamp providing direct, diffused light. Anodized aluminum base serves to contain excess power cord. Bakelite lamp-holder, painted to match the switch in the orange and black colors. Clear globe lamp is partially sandblasted to diffuse the light.

Are you a professional and your project needs consulting and support?

2059607012220

BOOK AN APPOINTMENT


Rlack

Main specifications

EAN	8059607018880
Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp type	G125
Lamp holders	E27
Bulb finish	Semifrosted
Number of heads	1
Power (W)	5
System flux (lm)	241

Physical

Coloui	DIACK
Cord length (mm)	2300
Net weight (kg)	0.35
Package height (cm)	250
Package width (cm)	140
Package length (cm)	145
Package volume (m3)	0.01
IP internal	20



Download

Mounting instructions



Photometric Files

LDT / IES

₺ LDT

Technical Drawings

2D <u>L</u> ZIP
3D <u>L</u> ZIP


















https://professional.flos.com/en/global/product/lampadina-f3300000/

F3300000

Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	230
LED voltage Vf (Vdc)	null
Dimmable	No
Dimming interface	Switch Integrated (Not Dimmable)
Plug type	Type C
Batteries inside	No
Charging min time	No



INCLUDED

RF32797

LED Lamp 2W lm E27 230V 2700K G125 Regulable