

Luminator

Designed by Achille and Pier Giacomo Castiglioni, 1954



Floor lamp providing indirect light. Bulb with reflector. Iron stem with painted finish. Painted galvanized metal legs.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607596777 |
| Mounting | Floor |
| Enviroment | Indoor dry location |
| Light source type | Bulb |
| Lamp category | Halogen |
| Lamp holder | E27 |
| Ilcos | HSGSR |
| Number of heads | 1 |
| Power (W) | 105 |

Physical

| | |
|---------------------|------------|
| Colour | Anthracite |
| Cord length (mm) | 2800 |
| Net weight (kg) | 3.7 |
| Package height (cm) | 12 |
| Package width (cm) | 152 |
| Package length (cm) | 14 |
| Package volume (m3) | 0.03 |
| IP internal | 20 |



Download

| | |
|-----------------------|-------|
| Mounting instructions | ↓ PDF |
| Spare Parts | ↓ PDF |

Photometric Files

| | |
|-----------|-------|
| LDT / IES | ↓ LDT |
|-----------|-------|

Technical Drawings

| | |
|----|-------|
| 2D | ↓ ZIP |
| 3D | ↓ ZIP |



Photometric

| | |
|--------------------|-----------|
| Lighting type | Indirect |
| Light distribution | Symmetric |


Electrical

| | |
|--------------------|----------------------------------------|
| Insulation class | II |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| Dimmable | Yes |
| Dimming interface | Switch Integrated (Remote Dimmable) |
| Plug type | Type C |
| Batteries inside | No |
| Charging min time | No |

Notes

Dimmable Switch included

Bulbs



NOT INCLUDED

RF32366

LED Lamp 12W E27 220-240V

2700K R125

Spare Parts



RF28045
Led rondo' dimmer 220/240v 40-
250w 4-100w