

FLOS

F5930020 Glass

Ray Suspension

Designed by Rodolfo Dordoni, 2007




Halogen - 250W

Suspension lamp providing direct or diffused lighting. Chrome-plated metal structure and lathe-shaped aluminum diffusers, painted white on the inside, and shiny white or black on the outside or gray-colored, blown and overlaid glass with glossy external finish. Liquid paint protection. Opal blown glass inner diffuser. White painted steel ceiling attachment protected with transparent paint, and polished aluminum cover.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607020807
Mounting	Suspension
Environment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGS
Number of heads	1
Power (W)	250

Physical

Colour	Glass
Cord length (mm)	2700
Net weight (kg)	6.8
Package height (cm)	500
Package width (cm)	575
Package length (cm)	575
Package volume (m3)	0.17
IP internal	20

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

Photometric Files

[LDT / IES](#)  ZIP


Technical Drawings

[2D](#)  ZIP

[3D](#)  ZIP



Schematic light drawing



Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K
DIMMER



NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



F5923020
Ray Suspension/Floor 2 glass
diffuser




RF01089
4mt steel wire Ø1,2 with 19
winded wires



RF10346
Ceramic lamp holder E27



RF16978
Transparent external diffuser
support



RF29665
3 mt steel cable ø1,2 with 19
winded wires



RF4190200
5 meter sil/fep 2x0,75
transparent electrical cable



RF5931100
Ceiling rose assembly



RF5931200
Internal diffuser assembly



RF6110800

Kit with brass wire clamps and
screws