



F5931030 Black

Ray Suspension

Designed by Rodolfo Dordoni, 2007



Halogen - 250W

Suspension lamp providing direct or diffused lighting. Chrome-plated metal structure and lathe-shaped aluminum diffusers, painted white on the inside, and shiny white or black on the outside or gray-colored, blown and overlaid glass with glossy external finish. Liquid paint protection. Opal blown glass inner diffuser. White painted steel ceiling attachment protected with transparent paint, and polished aluminum cover.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

2700 mm 270 mm ø 430 mm

Main specifications

EAN	8059607020838
Mounting	Suspension
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGS
Number of heads	1
Power (W)	250

Physical

Colour	Black
Cord length (mm)	2700
Net weight (kg)	3.8
Package height (cm)	500
Package width (cm)	575
Package length (cm)	575
Package volume (m3)	0.17
IP internal	20

Download

Mounting instructions	<u>↓</u> PDF
Spare Parts	业 PDF

Photometric Files

LDT / IES

业 LDT

Technical Drawings

	 _	0	
2D			业 ZIP
3D			⊥ ZIP


















https://professional.flos.com/en/global/product/ray-suspension-f5931030/

F5931030

Schematic light drawing



Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No





NOT INCLUDED

RF26998

LED 21W E27 2450lm 3000K DIMMER

NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K A65 Dimmable

Spare Parts



RF01089

4mt steel wire Ø1,2 with 19 winded wires



DE103/6

Ceramic lamp holder E27



DE16082

F2-S diffuser



RF1697

Transparent external diffuser support



RF29665

3 mt steel cable ø1,2 with 19 winded wires



RF4190200

5 meter sil/fep 2x0,75 transparent electrical cable



DE5031100

Ceiling rose assembly



RE5931200

Internal diffuser assembly



RF6110800

Kit with brass wire clamps and screws