



Ray Table

Designed by Rodolfo Dordoni, 2007




Halogen - 150W

Table lamp providing diffused lighting. Steel tube (10 mm diam.) structure, welded, brushed and chrome-plated. Diffuser support disk in die-cast, polished and chrome-plated Zamak alloy. White injection-molded PA6 (nylon) lamp cover. Injection-molded PC (polycarbonate) inner diffuser in 3% opal color. Transparent injection-molded elastic PVC (polyvinylchloride) feet. Lathe-shaped aluminum diffusers, painted white on the inside, and shiny white or black on the outside or gray-colored, blown and overlaid glass with glossy external finish. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607005170
Mounting	Table
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGS
Number of heads	1
Power (W)	150

Physical

Colour	White
Cord length (mm)	1850
Net weight (kg)	4.2
Package volume (m3)	0.1
IP internal	20

Download

ounting instructions	$\underline{\bot}$	PDF
nare Parts	\downarrow	PDF

Photometric Files

LDT / IES



Technical Drawings

2D	₹ ZIP
3D	业 ZIP




















https://professional.flos.com/en/global/product/ray-table-f5911009/

F5911009

Schematic light drawing



Photometric

Lighting type	Indirect, Direct
Light distribution	Asymmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No
Charging min time	No





NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V 2700K A70

NOT INCLUDED

RF32564

LED Lamp 11.5W E27 220-240V 3000K A70

Spare Parts

