




Skygarden 1

Designed by Marcel Wanders, 2007



Halogen - 105W

Suspension luminaire providing diffused lighting. Hemispherical, mechanically-processed cast plaster diffuser, painted white inside. Outer finish: rust, glossy black, glossy white or matte gold. Plaster diffuser support in die-cast aluminum alloy, liquid-painted white. Molded upper bushing in die-cast, polished aluminum alloy, protected with transparent paint on the entire visible part. Upper cable gland and blocking ring nut in black injection-molded PC (polycarbonate). Shaped, galvanized adjustment screws. Transparent, injection-molded, upper and lower silicone shock absorbers. Lamp holder and fixing support in black injection-molded PPS (polyphenylene sulfide). Flashed and blown opal glass diffuser. Molded fixing ring nut in die-cast aluminum alloy with alodine plating. Skygarden 1 frieze in photo-etched and mechanically drawn AISI 304 steel. Molded and galvanized steel ceiling attachment Gray, injection-molded PA6 (Nylon) rose.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607012789	
Mounting	Suspension	
Enviroment	Indoor dry location	
Light source type	Bulb	
Lamp category	Halogen	
Lamp holder	E27	
Ilcos	HSGS	
Number of heads	1	
Power (W)	105	

Physical

Colour	Rusty Brown		
Cord length (mm)	2700		
Net weight (kg)	13		
Package volume (m3)	0.23		
IP internal	20		

Download			
Mounting instructions	₩ PDF		
Spare Parts	↓ PDF		
Photometric Files LDT / IES LDT / IES			
Technical Drawings			
2D	₹ ZIP		
3D	₩ ZIP		

https://professional.flos.com/en/global/product/skygarden-1-f0001047/

F0001047



















Schematic light drawing



 Beam Angle: 118°

 h(m)
 E(lx)
 D(m)

 1
 416
 3.36

 2
 104
 6.72

 3
 46
 10.08

 4
 26
 13.44

 5
 17
 16.79


Lumin	ous f	lux I u	minaire
2400 ln	n		

Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	I	
Frequency (Hz)	50/60	
Main voltage (Vac)	220-250	
Dimmable	Yes	
Dimming interface	Remote Dimmable (Dimmer Not Included)	
Batteries inside	No	
Charging min time	No	



NOT INCLUDED

RF29388

LED T46 Lamp E27 20W 2700K Dimmable

Spare Parts



https://professional.flos.com/en/global/product/skygarden-1-f0001047/

F0001047