



Skygarden Recessed G9

Designed by Marcel Wanders, 2009




Halogen - 60W

Recessed luminaire providing diffused lighting. Hemispherical, cast plaster diffuser, painted white inside. Plaster diffuser support in die-cast aluminum alloy. Flashed and blown opal glass diffuser. Frieze in photo-etched and mechanically drawn aisi 304 steel.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607006436	
Mounting	Ceiling	
Enviroment	Indoor dry location	
Light source type	Bulb	
Lamp category	Halogen	
Lamp holder	G9	
Ilcos	HSGS	
Number of heads	1	
Power (W)	60	

Physical

Colour	White
Recessed depth (mm)	250
Net weight (kg)	5.4
Package volume (m3)	0.06
IP internal	20

Download

ounting instructions	$\underline{\boldsymbol{\gamma}}$	PDF
aro Parts	1	PDE

Photometric Files

LDT / IES



Technical Drawings

2D	<u>↓</u> ZIP
3D	⊥ ZIP













https://professional.flos.com/en/global/product/skygarden-recessed-g9-f6433009/

F6433009

Schematic light drawing



Beam Angle:		117°
h(m)	E(lx)	D(m)
1	74	3.30
2	18	6.59
3	8	9.89
4	5	13.18
5	3	16.48

Luminous flux luminaire 715 lm

Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No
Charging min time	No





NOT INCLUDED

RF26520

LED Lamp 2W 240lm G9 220-240 2700K T13 Non Dimmable

NOT INCLUDED

RF28425

LED BiPin Lamp G9 3W 2700K Non Dimmable

Spare Parts



Glass diffuser assembly Electrical assembly