



Taccia (PMMA)

Designed by Achille and Pier Giacomo Castiglioni, 1962



28W - 2700K

Table lamp providing indirect and reflected light. Reflector in painted aluminium, gloss white on the outside and matt white on the inside. Directionable diffuser in transparent PMMA. Body in matt black or naturally anodized extruded aluminium. Base in nickel-plated metal. Electric cable of useful length 220 cm, with dimmer switch for ON/OFF and adjustment of the light flow between 10-100%. Plugin power supply with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

0 495 mm ø 190 mm

Main specifications

EAN	8059607006825
Mounting	Table floor
Enviroment	Indoor dry location
Light source type	LED
LED type	LED array
Lamp holder	COB LED
Power (W)	28

Physical

Colour	Bronze
Cord length (mm)	2200
Net weight (kg)	7.6
Package volume (m3)	0.18
IP internal	20

























Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only) light source by a professional



Replaceable control gear by an end-user

https://professional.flos.com/en/global/product/taccia-pmma-f6607046/

F6607046

Photometric

Lighting type	Indirect
Light distribution	Asymmetric
CCT (K)	2700

Electrical

Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240/48
Driver	Remote included
Dimmable	Yes
Dimming type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type G, Type A, Type C
Batteries inside	No
Charging min time	No

Spare Parts



E6608046

Anodized bronze base



F6609000

Taccia LED transparent diffuser & reflector (PMMA)



RENN78N

White reflector



DESSOUND

Black plug assembly kit & 48V driver



RF6608100

Jack plug with cable and push dimmer