



Toio

Designed by Achille and Pier Giacomo Castiglioni, 1962



Halogen - 300W

Floor lamp providing indirect lighting. Angle iron and formed steel base, painted in a variety of colors. Hexagonal nickel-plated brass height-adjustable stem with telescopic head. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607007174
Mounting	Floor
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	Gx16d
Number of heads	1
Power (W)	300

Physical

Colour	White
Cord length (mm)	2470
Net weight (kg)	8.2
Package height (cm)	1620
Package width (cm)	260
Package length (cm)	290
Package volume (m3)	0.12
IP internal	20



Down	hc ol
וושטט	ioau

Mounting instructions	业 PDF
Spare Parts	业 PDF

Photometric Files

LDT / IES

₹ LDT

Technical Drawings

2D	<u>↓</u> ZIP
3D	⊥ ZIP













https://professional.flos.com/en/global/product/toio-f7600009/

F7600009

Schematic light drawing




Beam Angle:		22°
h(r	n) E(lx)	D(m)
1_	24103	0.39
2	6026	0.79
3	2678	1.18
4	1506	1.58
5	964	1.97

Photometric

Lighting type	Indirect
Light distribution	Roto symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No
Charging min time	No




INCLUDED

RF17899

Incandescent Reflector Lamp GX16d 300W 2750K PAR56 Dimmable

Spare Parts



RF04607

Electrical wiring from transformer to bulb

RF0578

P2001 6a 250v fuse holder

RF17929

Transformer



Electrical wiring assembly with rondò dimmer



RF24160 Black 300W 220V-240V rondò dimmer









RF7600100

Wire loop assembly

RF06730

Cable winder support

Nickel knob