


Triad_W



Wall Lights | 220-240 V | 1xE27
90207



| Technical data | |
|--|-----------------------|
| Type | Surface |
| Installation position | Wall lights - Ceiling |
| Installation environment | Indoor |
| Lamp cap | 1 x E27 Max 57W |
| Light emission direction | frontal |
| Frequency | 50-60 Hz |
| Safety class | 1 |
| IP | IP20 |
| Glow wire test | 850° |
| Direct mounting on normally flammable surfaces | Yes |
| CE | Yes |
| Dimmable article | No |
| Directional | No |
| Tilting | No |
| Walk-over | No |
| Drive-over | No |
| Cable included | No |
| Resin potting | No |
| Net weight | 1.600 Kg |

| Finishing casing | |
|------------------|----------------|
| Material | Iron |
| Colour | White RAL 9016 |
| Processing | Coating |

| Finishing diffuser | |
|--------------------|----------------|
| Material | Glass |
| Colour | white |
| Processing | Silk-screening |

| Finishing mounting frame | |
|--------------------------|----------------|
| Material | Iron |
| Colour | White RAL 9016 |
| Processing | Coating |



Wall Lights | 220-240 V | 1xE27
90207

Double emission wall lights for indoor application. Compatibility: LED lamp, halogen 57 W, compact fluo 20 W; lamp cap 1xE27.

The device body is made of iron and features a white ral 9016 finish, processed by means of coating; the diffuser is made of glass with a silk-screening treatment; the mounting frame is made of iron, with a white ral 9016 finish, processed by means of coating. The ingress protection degree is IP20; the total weight is of 1.600 kg.

The device features protection class I and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

| Illuminotechnical Features | |
|---|--------|
| Source lumens | 915 lm |
| Colour temperature | 2800 K |
| Colour rendering index | 100 Ra |
| Junction temperature (lighting fixture) | 80 |
| Standard Operating Ambient Temperature | 25°C |